







CARPINUS BETULUS 'FASTIGIATA' CENTRALLY QUERCUS ROBUR PLACED IN BERM, 'FASTIGIATA' MINIMUM OFFSET CENTRALLY 700mm FROM KERB. PLACED IN BERM, GRADE: PB95 MINIMUM OFFSET 700mm FROM KERB. GRADE: PB95 ROOT BARRIER TO ROOT BARRIER TO BE INSTALLED ON FOOTPATH EDGE. BE INSTALLED ON FOOTPATH EDGE. ROOT BARRIER TO FOR DETAILS, FOR DETAILS, BE INSTALLED ON ROOT BARRIER TO BE INSTALLED -ON FOOTPATH EDGE. REFER TO SELWYN REFER TO SELWYN FOOTPATH EDGE. DISTRICT COUNCIL DISTRICT COUNCIL FOR DETAILS, ENGINEERING FOR DETAILS, REFER TO SELWYN **ENGINEERING** REFER TO SELWYN CODE OF PRACTICE. DISTRICT COUNCIL ENGINEERING CODE OF PRACTICE. CODE OF DISTRICT COUNCIL ENGINEERING CODE OF PRACTICE. PRACTICE.

3 SECTION 2 - WAKEMAN DRIVE (15m) 1:50@ A1; 1:100@A3

4 SECTION 4 - HALPIN DRIVE (18m) 1:50@ A1; A:100@A3

FOR APPROVAL NOT FOR CONSTRUCTION Original Scale (A3) 26.08.19 LANDSCAPE 26.08.19 **III** Beca 1:50 @ A1 FULTON HOGAN LAND ROSEMERRYN FARM **DETAILED DESIGN** 26.08.19 1:100 @ A3 27 A 4682270\_S16\_103 26.08.19 DEVELOPMENT STAGE 16 SECTIONS By Chk Appd Date \* Refer to Revision 1 for Original Signature

NOT SCALE IF IN DOUBT.

PRINT IN COLOUR